

May 15, 2015

Brent G. Bergherm  
Chemist, Research & Development  
Spray-Lock, Inc.  
5959 Shallowford Road, Suite 405  
Chattanooga, TN 37421



Dear Brent:

I am pleased to inform you that Green Seal has evaluated Spray-Lock's application for certification and determined that the following products comply with the requirements of the Green Seal Standard for Adhesives for Commercial Use (GS-36):

Product Name	Product Code	Packaging Size
Spray-Lock 6500 Luxury Vinyl Flooring Adhesive	05-IL-6500-22-UD	22 oz aluminum can
Spray-Lock 6500 Platinum Flooring Adhesive	05-IL-6500P-22-UD	22 oz aluminum can
Spray-Lock 9500 VCT Flooring Adhesive	05-IL-9500-22-UD	22 oz aluminum can
Spray-Lock 9500 Platinum VCT Flooring Adhesive	05-IL-9500P-22-UD	22 oz aluminum can

Accordingly, Spray-Lock is authorized to use the Green Seal Mark in association with these products, provided that no changes are made in the way the products are manufactured or represented.

This certification remains valid until such time your products are no longer subject to a valid certification agreement, or that Green Seal has reason to believe, based on the results of our ongoing monitoring program or otherwise, that your products no longer comply with GS-36.

As a reminder, any use of the Green Seal Mark or reference to Green Seal needs to be approved by Green Seal and conform to the Rules Governing the Use of the Green Seal Certification Mark. Please forward all new or revised packaging or marketing materials to [certification@greenseal.org](mailto:certification@greenseal.org) for approval prior to production.

Green Seal offers a variety of options to help you get the most benefit from your Green Seal certification. A Marketing Tools Portal with a wide array of graphics and communications tools for you and your customers can be accessed through [greenseal.org](http://greenseal.org). Our Marketing & Communications staff offers support and promotion through collaborative outreach and various media channels. Please contact Mac Clevenger at [pclevenger@greenseal.org](mailto:pclevenger@greenseal.org) for more information and access to the Portal.

**HEADQUARTERS**

1001 Connecticut Ave NW, Ste 827  
Washington, DC 20036-5525

**SOUTHEAST OFFICE**

374 Siouan Drive  
Lexington, NC 27295-8571

**MIDWEST OFFICE**

517 North Segoe Road, Ste 211  
Madison, WI 53705-3172

We also encourage you to utilize the tailored marketing support and strategic direction provided by our Client Services Program to help drive demand and maximize the value of your certification. Contact Mark Stanland at [mstanland@greenseal.org](mailto:mstanland@greenseal.org) for details on this program.

Congratulations on this certification by Spray-Lock. We look forward to continuing this relationship.

Sincerely,



**Arthur B. Weissman, Ph.D.**  
President & CEO

THE ORIGINAL GREEN SEAL OF APPROVAL SINCE 1989

**HEADQUARTERS**

1001 Connecticut Ave NW, Ste 827  
Washington, DC 20036-5525

**SOUTHEAST OFFICE**

374 Siouan Drive  
Lexington, NC 27295-8571

**MIDWEST OFFICE**

517 North Segoe Road, Ste 211  
Madison, WI 53705-3172



# Green Seal,™ Inc. Proudly Presents Certification to Spray-Lock, Inc.

Green Seal, Inc. certifies that the following products comply with the Green Seal Standard for Adhesives for Commercial Use (GS-36) and are licensed to use the Green Seal Certification Mark:

Spray-Lock 6500 Luxury Vinyl Flooring Adhesive ♦ Spray-Lock 9500 VCT Flooring Adhesive  
Spray-Lock 6500 Platinum Flooring Adhesive ♦ Spray-Lock 9500 Platinum VCT Flooring  
Adhesive *(specific package sizes listed in certification letter)*

Certified this 15<sup>th</sup> day of May, 2015.

A handwritten signature in black ink, appearing to read "Arthur B. Weissman".

---

Arthur B. Weissman, Ph.D., President & CEO